Please print or type in the unshaded areas only (fill-in areas are spaced for elite type, i.e. 12 character/inch).

A. PROCESS

200 West Area Ash Pit Demolition Site Rev. 4, 11/4/94

FORM 3	DAN	IGER	OUS WASTE PERMIT	APPLICATION		EPA/STATE I.D. NUMBER		
FOR OFFICIAL I	JSE ONLY				· ·			
APPLICATION APPROVED	DATE RECEIVED			COMMENTS				
			CL	EAN CLOSED,	11/28/95			
II. FIRST OR RE	VISED APPLICATI	ON						
	s is your first applic		below (mark one box only) to indicate wh I you already know your facility's EPA/ST/					
MO. DAY YEAR 1984			w and provide the appropriate date) (See instructions for definition of "existing" facility. Complete Item below.) *FOR EXISTING FACILITIES, PROVIDE THE DATE (mo., day, & yr.) OPERATION BEGAN OR THE DATE CONSTRUCTION COMMENCED (use the boxes to the left) *The date construction of the Hanford Facility commenced.					
	PLICATION <i>(place</i> ILITY HAS AN INT		elow and complete Section I above) ATUS PERMIT 2. FA	ACILITY HAS A FINAL PERM	ИΙΤ			
III. PROCESS - 0	CODES AND CAPA	CITIES						
codes. If mor process (incl B. PROCESS D 1. AMOUNT 2. UNIT OF	re lines are needed, uding its design cap DESIGN CAPACITY - Enter the amoun MEASURE - For ea	enter the pacity) in ' - For ea t. ach amou	the list of process codes below that best on ecode(s) in the space provided. If a procest the space provided on the (Section III-C) such code entered in column A enter the calculate the terminal of the code entered in column B(1), enter the code ed below should be used. APPROPRIATE UNITS OF	ess will be used that is not in npacity of the process.	cluded in the list o	codes below, then describe the		
PR	OCESS	CESS CODE	MEASURE FOR PROCESS DESIGN CAPACITY	PROCESS	CESS CODE	MEASURE FOR PROCESS		
Storage:				Treatment:				
WASTE PILE S03		S02 S03	GALLONS OR LITERS GALLONS OR LITERS CUBIC YARDS OR CUBIC METERS	TANK SURFACE IMPOUNDME		GALLONS PER DAY OR LITERS PER DAY GALLONS PER DAY OR LITERS PER DAY		
Disposal:	SURFACE IMPOUNDMENT S04 GALLONS OR LITERS Disposal:			INCINERATOR	Т03	TONS PER HOUR OR METRIC TONS PER HOUR; GALLONS PER HOUR OR LITERS PER		
INJECTION W LANDFILL LAND APPLIC	CATION	D80 D81	GALLONS OR LITERS ACRE-FEET (the volume that would cover one acre to a depth of one foot) OR HECTARE-METER ACRES OR HECTARES	OTHER (Use for physica chemical, thermal or biol treatment processes not occurring in tanks, surface	ogical ce	HOUR GALLONS PER DAY OR LITERS PER DAY		
OCEAN DISPO	POUNDMENT	D83 D84	GALLONS PER DAY OR LITERS PER DAY GALLONS OR LITERS	impoundments or incinerators. Describe the processes in the space provided: Section III-C.)				
UNIT OF MEASURE UNIT OF MEASURE CODE GALLONS G LITERS L CUBIC YARDS Y CUBIC METERS C GALLONS PER DAY U		URE	UNIT OF MEASURE	UNIT OF MEASURE CODE	UNIT OF MEASU	UNIT OF MEASURE RE CODE		
		LITERS PER DAY TONS PER HOUR METRIC TONS PER HOUR GALLONS PER HOUR LITERS PER HOUR TING SECTION III (shown in line numbers	V D W E H	ACRE-FEET HECTARE-METE ACRES HECTARES	B Q			

hold 200 gallons and the other can hold 400 gallons. The facility also has an incinerator that can burn up to 20 gallons per hour.

B. PROCESS DESIGN CAPACITY

LINE NUMBER	CODE (from list above)	1. AMOUNT (specify)	2. UNIT OF MEASURE (enter code)	FOR OFFICIAL USE ONLY			
X-1	S02	600	G				
X-2	T03	20	E				
1	T04	150	U				
2							
3							
4							
5							
6							
7							
8							
9							
10							

C. SPACE FOR ADDITIONAL PROCESS CODES OR FOR DESCRIBING OTHER PROCESS (CODE "T04"). FOR EACH PROCESS ENTERED HERE INCLUDE DESIGN CAPACITY.

T04

The 200 West Area Ash Pit is located in the 200 West Area of the Hanford Facility. The Ash Pit Deomlotion Site occupied only a small portion, an area 6 meters (20 feet) by 6 meters (20 Feet), of the larger 200 West Area Ash Pit. The Ash Pit Demolition Site was used to detonate explosive discarded chemical products used on the Hanford Site. The process design capacity for treatment at the Ash Pit Demolition Site was 150 gallons (568 liters) per day.

IV. DESCRIPTION OF DANGEROUS WASTES

- A. DANGEROUS WASTE NUMBER Enter the four digit number from Chapter 173-303 WAC for each listed dangerous waste you will handle. If you handle dangerous wastes which are not listed in Chapter 173-303 WAC, enter the four digit number(s) that describe the characteristics and/or the toxic contaminants of those dangerous wastes.
- B. ESTIMATED ANNUAL QUANTITY For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.
- C. UNIT OF MEASURE For each quantity entered in column B enter the unit of measure code. Units of measure which must be used and the appropriate codes are:

 ENGLISH UNIT OF MEASURE CODE

 METRIC UNIT OF MEASURE CODE

POUNDS P KILOGRAMS K
TONS T METRIC TONS M

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

D. PROCESSES

1. PROCESS CODES:

For listed dangerous waste: For each listed dangerous waste entered in column A select the code(s) from the list of process codes contained in Section III to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed dangerous wastes: For each characteristic or toxic contaminant entered in Column A, select the code(s) from the list of process codes contained in Section III to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed dangerous wastes that possess that characteristic or toxic contaminant.

Note: Four spaces are provided for entering process codes. If more are needed: (1) Enter the first three as described above; (2) Enter "000" in the extreme right box of item IV-D(1); and (3) Enter in the space provided on page 4, the line number and the additional code(s).

2. PROCESS DESCRIPTION: If a code is not listed for a process that will be used, describe the process in the space provided on the form.

NOTE: DANGEROUS WASTES DESCRIBED BY MORE THAN ONE DANGEROUS WASTE NUMBER - Dangerous wastes that can be described by more than one Waste Number shall be described on the form as follows:

- 1. Select one of the Dangerous Waste Numbers and enter it in column A. On the same line complete columns B, C, and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.
- 2. In column A of the next line enter the other Dangerous Waste Number that can be used to describe the waste. In column D(2) on that line enter "Included with above" and make no other entries on that line.
- 3. Repeat step 2 for each other Dangerous Waste Number that can be used to describe the dangerous waste.

EXAMPLE FOR COMPLETING SECTION IV (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

L	A. DANGEROUS		C. UNIT	D. PROCESSES					
I N NO E .	WASTE NO.	B. ESTIMATED ANNUAL QUANTITY OF WASTE	OF MEA- SURE (enter code)	1. PROCESS CODES (enter)			S	2. PROCESS DESCRIPTION (if a code is not entered in D(1))	
X-1	K054	900	P	T03	D80				
X-2	D002	400	P	T03	D80				
X-3	D001	100	P	T03	D80				
X-4	D002			T03	D80			included with above	
1	D001	1,000	К	T04				Treatment-Other (Demolition)	
2	D002		↓	V				Ψ	
3	D003		+	Ψ				Ψ	
4	D007		+	Ψ				Ψ	
5	D018		+	Ψ				₩	
6	P003		↓	V				Ψ	
7	U019		+	Ψ				Ψ	
8	U056		+	\				Ψ	
9	U098		+	\				Ψ	
10	U108		↓	Ψ				Ψ	
11	U112		+	Ψ				Ψ	
12	U117		+	Ψ				Ψ	

13	U133	↓	↓		↓
14	U135	₩	₩		↓
15	U154	→	₩		↓
16	U213	₩	Ψ		↓
17	U220	→	→		↓
18	WC02	₩	→		↓
19	WP01	₩	₩		↓
20	WT01	→	→		↓
21	WT02	₩	→		Included with above.
22					
23					
24					
25					
26					
27					
28					
20					

E. USE THIS SPACE TO LIST ADDITIONAL PROCESS CODES FROM SECTION D(1) ON PAGE 3.

The Ash Pit Demolition Site was used for treatment of shock-sensitive or potentially explosive chemical waste. This waste exhibited the dangerous waste characteristic of ignitable (D001), corrosivity (D002), and reactivity (D003). Some of the compounds also exhibited the dangerous waste characteristic of toxicity (D007) and some compounds were known to be discarded chemical products (P003, U019, U056, U098, U108, U112, U117, U133, U134, U213, and U220). The waste might have the state-only designations for toxic extremely hazardous (WT01) or dangerous waste (WT02), persistent extremely hazardous (WP01), and carcinogenic dangerous waste (WC02). The estimated annual quantity of waste of 1,000 kilograms (2,205 pounds) represents the total amount of dangerous waste that is believed to have been treated at the Ash Pit Demolition Site.

V. FACILITY DRAWING Refer to attached drawing(s).

All existing facilities must include in the space provided on page 5 a scale drawing of the facility (see instructions for more detail).

VI. PHOTOGRAPHS Refer to attached photograph(s).

All existing facilities must include photographs (arial or ground-level) that clearly delineate all existing structures; existing storage, treatment and disposal areas; and sites of future storage, treatment or disposal areas (see instructions for more detail).

VII. FACILITY GEOGRAPHIC LOCATION This information is provided on the attached drawing(s) and photograph(s).

LATITUDE (degrees, minute	es, & seconds)	LONGITUDE (degrees, minutes, & seconds)				


VIII. FACILITY OWNER							
A. If the facility owner is also the facility operator as listed below. B. If the facility owner is not the facility operator as listed	d in Section VII on Form 1, "General Information", place an " in Section VII on Form 1, complete the following items:	X" in the box to the left and skip to Section IX					
1. NAME OF FACILITY'S LEGAL OWNER 2. PHONE NO. (area code & no.)							
3. STREET OR P.O. BOX	4. CITY OR TOWN	5. ST. 6. ZIP CODE					
3. STREET OR P.O. BOX	4. CITT OR TOWN	6. ZIP CODE					
IX. OWNER CERTIFICATION							
I certify under penalty of law that I have personally examined a inquiry of those individuals immediately responsible for obtaining there are significant penalties for submitting false information,	ng the information, I believe that the submitted information is						
NAME (print or type)	SIGNATURE	DATE SIGNED					
John D. Wagoner, Manager U.S. Department of Energy Richland Operations Office	S. Department of Energy						
X. OPERATOR CERTIFICATION							
I certify under penalty of law that I have personally examined a inquiry of those individuals immediately responsible for obtaining there are significant penalties for submitting false information,	ng the information, I believe that the submitted information is						
NAME (print or type) SEE ATTACHMENT	SIGNATURE	DATE SIGNED					

X. OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

John D. Wagoner	11/4/94
Owner/Operator	Date
John D. Wagoner, Manager	
U.S. Department of Energy	
Richland Operations Office	
A. LaMar Trego	9/20/94
Co-Operator	Date
A. LaMar Trego, President	
Westinghouse Hanford Company	

200 West Area Ash Pit Demolition Site Site Plan



39210042.1

200 WEST AREA ASH PIT DEMOLITION SITE



46°33'10.37" 119°36'44.58"

94090243-13CN (PHOTO TAKEN 1992)